



EEM37-OKF0A017A

EES/EEM37

MOTOR FEEDBACK SYSTEMS





Ordering information

Туре	part no.
EEM37-0KF0A017A	1068809

Other models and accessories → www.sick.com/EES_EEM37

Illustration may differ



Detailed technical data

Features

Items supplied	M3 mounting screws for encoder housing not included with delivery.	
Cofety valeted very server		

Safety-related parameters

MTTF _D (mean time to dangerous failure)	170 years (EN ISO 13849) ¹⁾

¹⁾ This product is a standard product and does not constitute a safety component as defined in the Machinery Directive. Calculation based on nominal load of components, average ambient temperature 60°C, frequency of use 8760 h/a. All electronic failures are considered hazardous. For more information, see document no. 8015532.

Performance

Position	
Resolution per revolution	17 bit
System accuracy	\pm 240 ″, nominal position, 25 °C, filter setting 21 kHz $^{1)}$
	\pm 160 ″, Nominal position, 25 °C, filter setting 1 kHz $^{1)}$
Signal noise (σ)	\pm 20 $^{\prime\prime}$ (nominal position, 25 $^{\circ}$ C, filter setting 21 kHz)
Number of the absolute ascertainable revolutions	4,096
Available memory area	8,192 Byte
Measurement step per revolution	131,072

 $^{^{1)}\,\}mbox{See}$ diagram for error limits (default filter setting: 21 kHz).

Interfaces

Code sequence	Increasing, when turning the shaft For clockwise rotation, looking in direction "A" (see dimensional drawing)
Communication interface	HIPERFACE DSL®
Initialization time	Max. 500 ms ¹⁾
Measurement external temperature resistance	32-bit value, without prefix (1 $\Omega)$ 0 209.600 Ω $^{2)}$

 $^{^{1)}}$ From reaching a permitted operating voltage.

²⁾ Without sensor tolerance; at -17 °C ... +167 °C: NTC +-2K (103 GT); PTC+-3K (KTY84/130/PT1000).

Electronics

Connection type	Male connector, 4-pin
Supply voltage	7 V 12 V
Warm-up time voltage ramp	Max. 180 ms ¹⁾
Current consumption	\leq 150 mA $^{2)}$

 $^{^{1)}}$ Duration of the voltage ramp between 0 and 7.0 V, see diagram "Current consumption" in the diagram section.

Mechanics

Shaft version	Tapered shaft
Dimensions	See dimensional drawing
Centering collar	Standard 1.5 mm
Weight	≤ 0.1 kg
Moment of inertia of the rotor	1 gcm ²
Operating speed	≤ 12,000 min ⁻¹
Angular acceleration	≤ 500,000 rad/s²
Permissible radial shaft movement	± 0.15 mm
Permissible axial shaft movement	± 0.5 mm

Ambient data

Operating temperature range	-40 °C +115 °C ¹⁾
Storage temperature range	-40 °C +120 °C, without package
Relative humidity/condensation	85 %, Condensation not permitted
Resistance to shocks	100 g, 6 ms (according to EN 60068-2-27)
Frequency range of resistance to vibrations	50 g, 10 Hz 2,000 Hz (EN 60068-2-6)
EMC	According to EN 61000-6-2: 2016, EN 61000-6-4: 2006, IEC 6100-6-7: 2014 $^{2)}$
Enclosure rating	IP30, When cover is closed and mating connector is attached (IEC 60529-1) 3)

¹⁾ For typical values for self-heating, see diagram "Electrical self-heating" in the diagram section. see section "Mounting" in the operating instructions (8021414/8021265).

Certificates

EU declaration of conformity	✓
UK declaration of conformity	✓
ACMA declaration of conformity	✓
China RoHS	✓
Information according to Art. 3 of Data Act (Regulation EU 2023/2854)	✓

Classifications

ECLASS 5.0	27270590
ECLASS 5.1.4	27270590
ECLASS 6.0	27270590


 $^{^{2)}}$ Current rating applies when using interface circuit suggestions as shown in HIPERFACE DSL $^{\circledR}$ manual (8017595).


²⁾ According to the listed standards, EMC is guaranteed if the motor feedback system with mating plug inserted is connected to the central grounding point of the motor controller via a cable shield. If other shielding concepts are used, users must perform their own tests. Class A device.

 $^{^{3)}}$ When using the strands (2079920).

ECLASS 6.2	27270590
ECLASS 7.0	27270590
ECLASS 8.0	27270590
ECLASS 8.1	27270590
ECLASS 9.0	27270590
ECLASS 10.0	27273805
ECLASS 11.0	27273901
ECLASS 12.0	27273901
ETIM 5.0	EC001486
ETIM 6.0	EC001486
ETIM 7.0	EC001486
ETIM 8.0	EC001486
UNSPSC 16.0901	41112113

Dimensional drawing






Dimensions in mm (inch)

screw M4 not included (see under accessories)

- ① measuring point for vibrations
- ② Design-related gap
- ③ Measuring point for operating temperature
- 4 Centering collar: Standard 1.5 mm; reduced 0.7 mm


Attachment specifications



read out axial position: positive value shows movement of rotor away from the motor flange; negative value shows movement of rotor towards the motor flange

- ① Nominal position
- ② The size of the tolerance reduces the permissible wave movement, see data sheet
- ③ Threaded holes in accordance with DIN 13 with recesses in accordance with DIN 76 min. 1.05 x thread diameter

PIN assignment Supply/Communication pin assignment



integrated in motor cable = J, K


PIN	Signal	Explanation
1	-	Not connected - no function
2	+U _S /DSL+	Supply 7 V 12 V
3	GND/DSL-	Ground connection
4	-	Not connected - no function
Recommended outer diameter of set of stranded wires: 4 mm +0/-1.5 mm		
Recommended mating connector: JST (GHR-04V-S)		

PIN assignment Temperature sensor pin assignment




PIN	Signal	Explanation	
1	T+	Thermistor connection	
2	T-	Thermistor connection (to ground)	
Recommended outer diameter of set of stranded wires: 2.2 mm ± 0.1 mm			
Recommended mating connector: Harwin M80-8990205			

Diagrams Latency vs. filter frequency




adjustable filter frequencies 21 kHz, 15 kHz, 10 kHz, 5 kHz und 1 kHz - Default setting 21 kHz


Diagrams Power consumption



This diagram shows the switch-on current


Diagrams Electrical self-heating






Diagrams Error limits

Typ. effect of temperature on accuracy, normed



Diagrams Error limits

Typ. effect of axial position on accuracy, normed



Operation note Supported resources for HIPERFACE DSL®

RID	Name	time overrun [ms]	Description	
0x000	ROOT	75	Top node of ressource tree (all nodes reachable from here)	
0x001	IDENT	75	Node with pointers to all identification ressources	
0x002	MONITOR	75	Node with pointers to all monitoring ressources	
0x003	ADMIN	75	Node with pointers to all administration ressources	
0x004	COUNTER	75	Node with pointers to all counter ressources	
0x005	DATA	75	Node with pointers to all user file ressources	
0x006	SENSHUB	75	Node with pointers to all SensorHub ressources	
0x080	ENCTYPE	70	Base functionality of encoder	
0x081	RESOLUTN	70	Number of steps per turn	
0x082	RANGE	70	Number of encoded revolutions	
0x083	TYPECODE	70	Type name of encoder	
0x084	SERIALNO	70	Serial no of encoder	
0x085	FWREVNO	70	Firmware and hardware revision of encoder	
0x086	FWDATE	70	Firmware date of encoder	
0x087	EESIZE	70	Total amount of memory for user files	
0x0c0	TEMPRNG	70	Min and max allowed ambient temperature of encoder	
0x0c0	TEMPRTUR	70	Actual ambient temperature of encoder	
0x0c1	SUPRANGE	70	·	
0x0c4 0x0c5	SUPVOLT	70	Min and max allowed supply voltage of encoder	
0x0c5 0x0c6	SPEEDRNG	70	Actual supply voltage of encoder Max allowed shaft speed of encoder	
0x0c7	SPEED	70	Actual shaft speed of encoder	
0x0c8	ACCRANGE	70	Max allowed shaft acceleration of encoder	
0x0cb	LIFETIME	70	Operating time and total shaft turns of encoder. For safety variants also remaining mission time is indicated.	
0x0cc	ERRORLOG	70	Stored error messages of encoder	
0x0cd	HISTOGRM	70	Usage history of encoder in histogram form	
0x0d3	AXPOSRNG	70	Min and max allowed axial position of encoder	
0x0d4	AXIALPOS	70	Actual axial position of encoder	
0x100	RESET	240	Reset or shutdown of encoder	
0x101	SETPOS	100	Set encoder position to arbitrary preset value. Offset of position can be read back.	
0x104	SETACCES	70	Set or read back access level	
0x105	CHNGEKEY	90	Change password for access level	
0x107	UWARNING	90	Set or read back user-defined warning boundaries	
0x108	FACRESET	255	Reset user settings of encoder to factory defaults	
0x109	ENCIDENT	90	Set or read back user-defined encoder index (for multi-axis systems)	
0x10a	POSFILT	90	Set or read back position filter settings	
0x120	READCNT	70	Read user counter value	
0x121	INCCOUNT	90	Increment user counter value	
0x122	RESETCNT	110	Reset user counter value	
0x130	LOADFILE	255	Load user file	
0x131	RWFILE	250	Read from or write to user file	
0x132	FILESTAT	70	Read status of user file	
0x133	MAKEFILE	190	Create, change or delete user file	
0x134	DIR	130	Read directory of accessible user files	
0x200	ACCESSIO	70	Access to simple I/Os connected directly to encoder	
0x201	MANAGEIO	90	Manage simple I/Os	

Operation note Overview of warnings and fault indications

Error type	Error register	Error bit	Description	
	40h	0	A Protocol reset was executed	
	40h	1	Acceleration overflow, invalid position	
Position	40h	3	Drift compensating error	
(incremental)	40h	4	Internal error in plausibility, invalid position	
(incremental)	40h	5	Internal error in vector length, invalid position	
	40h	6	Internal error in configuration, invalid position	
	40h	7	Cross check error	
	41h	0	Error in absolute position in rotation	
	41h	1	Error 1 in absolute position in several rotations	
Position (absolute)	41h	2	Error 2 in absolute position in several rotations	
	41h	3	Error 3 in absolute position in several rotations	
	41h	4	Position cross check error	
	42h	0	Switch-on self-test undertaken (only safety versions)	
Initialization	42h	1	Warning safety parameter: error could not be rectified (only safety versions)	
	42h	2	Warning safety parameter: error could not be rectified (only safety versions)	
	42h	3	Error calibration data	
	42h	4	Internal communications error 1	
	42h	5	Internal communications error 2	
	42h	6	Internal general error	
	43h	0	Critical temperature	
	43h	1	Critical rotor position	
Test	43h	2	Critical supply voltage	
rest	43h	3	Critical rotation speed	
	43h	5	Critical overflow	
	43h	4	Internal test error	
	44h	0	Invalid argument given during resource access procedure	
Access to	44h	1	Resource access refused due to incorrect access level	
resources	44h	2	Internal error during resoure access	
	44h	3	Error when accessing a user file	
	47h	0	User-defined warning 0	
User defined	47h	1	User-defined warning 1	
Warnings	47h	2	User-defined warning 2	
	47h	3	User-defined warning 3	

Operation note Supported access levels

Access level	User	Standard access key
0	Execute (default setting)	0000 (30 30 30 30h)
1	Operator	1111 (31 31 31 31h)
2	Maintenance	2222 (32 32 32 32h)
3	Authorized client	3333 (33 33 33 33h)
4	User service	4444 (34 34 34 34h)

Recommended accessories

Other models and accessories → www.sick.com/EES_EEM37

	Brief description	Туре	part no.	
Mounting systems				
	 Description: Screws with Precote 85-8 coating; M4*14 Packing unit: 100 pieces 	BEF-MK-S03	2077358	
	 Description: Screws with Precote 85-8 coating; M4*14 Packing unit: 10 pieces 	BEF-MK-S07	2088239	
	 Description: Screws with Precote 85-8 coating; M4*14 Packing unit: 500 pieces 	BEF-MK-S08	2088240	
	Description: Test gauge for SEK/SEL34, SEK/SEL37, and EES/EEM37	BEF-MW-PL	2084768	
connectors and cables				
	 Connection type head A: Female connector, stranded wire, 4-pin, straight Connection type head B: Flying leads Signal type: HIPERFACE DSL[®] Cable: 0.2 m, 2-wire Description: HIPERFACE DSL[®], unshielded 	DOL-0B02-G0M2XC2	2079920	

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com

