



YG2A15-150C1BN2A15

Industrial Ethernet cables and fieldbus cables

CONNECTORS AND CABLES

SICK
Sensor Intelligence.



Ordering information

Type	part no.
YG2A15-150C1BN2A15	2115285

Illustration may differ

Other models and accessories → www.sick.com/Industrial_Ethernet_cables_and_fieldbus_cables

Detailed technical data

Technical specifications

Connection type head A	Female connector, M12, 5-pin, angled, A-coded	
Connection type head B	Male connector, M12, 5-pin, angled, A-coded	
Connector material	TPU	
Connector color	Black	
Locking nut material	Zinc die-cast, nickel-plated	
Tightening torque	0.6 Nm	
Width across flats	13	
Cable	15 m, 5-wire, PUR, halogen-free	
Jacket material	PUR, halogen-free	
Jacket color	Violet	
Cable diameter	6.9 mm	
Conductor cross section	2 x 0.34 mm ² + 2 x 0.25 mm ² + 1 x 0.34 mm ²	
Shielding	Shielded	
Bending radius	Flexible use	> 10 x cable diameter
		> 6 x cable diameter
Bending cycles	≤ 1,000,000	
Reference voltage	≤ 60 V AC/DC	
Traversing speed	5 m/s	
Travelling distance	5 m	
Acceleration	≤ 3 m/s ²	
Signal type	Fieldbus, CANopen, DeviceNet™	
Note	A-coded	
UL File No.	E335179	
Enclosure rating	IP65 / IP66 / IP67	
Specialty	Flame-resistant, self-extinguishing	
Operating temperature	Flexible use	+30 °C ... +70 °C
		-40 °C ... +80 °C

	Head	-25 °C ... +85 °C
Contamination rating	3	
Insulation resistance	> 100 MΩ	
Overvoltage category	III	
Specific insulation resistance	< 30 mΩ	
Thermal resistance, piping	Flame retardant according to UL 1581 Section 1060 (FT1), Section 1061 (cable flame), IEC 60332-1-2	


Certificates

EU declaration of conformity	✓
UK declaration of conformity	✓
China RoHS	✓
cULus certificate	✓

Classifications

ECLASS 5.0	19030312
ECLASS 5.1.4	19030312
ECLASS 6.0	27060304
ECLASS 6.2	27060304
ECLASS 7.0	27060304
ECLASS 8.0	27060304
ECLASS 8.1	27060304
ECLASS 9.0	27060304
ECLASS 10.0	27060304
ECLASS 11.0	27060304
ECLASS 12.0	27060304
ETIM 5.0	EC000830
ETIM 6.0	EC000830
ETIM 7.0	EC003249
ETIM 8.0	EC003249
UNSPSC 16.0901	26121604

Dimensional drawing



Dimensions in mm (inch)

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations www.sick.com