

FLA-MSTR00002

Flexi Loop

SAFE SERIES CONNECTION





Ordering information

Туре	part no.
FLA-MSTR00002	1067650

Other models and accessories → www.sick.com/Flexi_Loop



Detailed technical data

Interfaces


IO-Link

Certificates	
EU declaration of conformity	✓
UK declaration of conformity	✓
ACMA declaration of conformity	✓
China RoHS	✓
UK-Type-Examination approval	✓
cULus certificate	✓
EC-Type-Examination approval	✓

Classifications


ECLASS 5.0	27371990
ECLASS 5.1.4	27371990
ECLASS 6.0	27371819
ECLASS 6.2	27371819
ECLASS 7.0	27371819
ECLASS 8.0	27371819
ECLASS 8.1	27371819
ECLASS 9.0	27371819
ECLASS 10.0	27371819
ECLASS 11.0	27371819
ECLASS 12.0	27371819
ETIM 5.0	EC001449
ETIM 6.0	EC001449
ETIM 7.0	EC001449
ETIM 8.0	EC001449
UNSPSC 16.0901	41113704

Dimensional drawing FLA-MSTR00002



Dimensions in mm (inch)

PIN assignment



Connection	Pin	Signal	Description	Color-coded con- necting cable	
FC_IN	1	VDC	24 V supply voltage	White	
	2	VDC	24 V supply voltage	Brown	
	3	FC_A1	Test input 1	Green	
	4	FC_A2	Safe output 1	Yellow	
	5	GND	GND supply voltage	Gray	
	6	GND	GND supply voltage	Pink	
	7	FC_B1	Test input 2	Blue	
	8	FC_B2	Safe output 2	Red	
		-			
IO-Link or AUX_IN/AUX_OUT	1	VDC	24 V IO-Link supply volt- age. IO-Link and Flexi Loop must have sepa- rate supply voltages.	Brown	
	2	AUX_IN	Non-safe input	White	
	3	GND	GND supply voltage	Blue	
	4	C/Q or AUX_OUT	IO-Link inter- face/non-safe output	Black	
	5	NC	Not connected	Gray	
The colors listed apply when using pre-assembled cables (no guarantee).					

Recommended accessories

Other models and accessories → www.sick.com/Flexi_Loop

	Brief description	Туре	part no.				
connectors and cables							
No.	Connection type head A: Female connector, M12, 8-pin, straight Connection type head B: Flying leads Signal type: Sensor/actuator cable Cable: 10 m, 8-wire, PVC Description: Sensor/actuator cable, special color code, shielded Connection systems: Flying leads	DOL-1208-G10MF	6048434				
10	Connection type head A: Female connector, M12, 8-pin, straight Connection type head B: Flying leads Signal type: Sensor/actuator cable Cable: 5 m, 8-wire, PVC Description: Sensor/actuator cable, special color code, shielded Connection systems: Flying leads	DOL-1208-G05MF	6020664				
Mounting systems							
8	 Description: Flexi Loop fixing clip Dimensions (W x H x L): 15 mm x 32 mm x 21 mm Packing unit: 1 piece Suitable for: Flexi Loop 	C-Fix bracket	2068830				

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com

